

Polyfoil® EcoPro - the eco-friendly barrier solution





The future is now!

Up to 60% PCR material and suitable for food contact

This new mono-material tube has a better environmental impact by using recycled materials including 60% of post-consumer recycled (PCR) materials and is recyclable as well! Another advantage of Polyfoil® EcoPro is its EU compliance. Regulation 2022/2016 mandates the use of mechanically recycled plastics for food contact, and the Polyfoil® EcoPro containing rHDPE (PCR material) conforms to Commission Regulation (EU) 2022/1616 for food contact materials.

Enhanced barrier properties

Polyfoil® EcoPro is a revolutionary new product that offers several key advantages over standard coex tubes. One of the most significant benefits of Polyfoil® EcoPro is its great barrier properties.

Reduced Material

The Polyfoil® EcoPro tube, paired with LowPro Caps, offers



significant advantages due to its reduced material usage, featuring a wall thickness of 0.35 that makes it lightweight and enables plastic savings compared to standard coextruded tubes.



High-definition decoration

In addition to its outstanding barrier properties, Polyfoil®EcoPro also offers high-definition decoration. Polyfoil® EcoPro uses state-of-the-art technologies such as DigitAll360 and offset printing to deliver high-definition decoration. This allows for incredibly detailed and vivid designs to be printed directly onto the tube surface.

Recycled, recycable and optimized CO2 footprint

Polyfoil® EcoPro also has an optimized CO2 footprint of 40% compared to standard coex tubes. Polyfoil® EcoPro has a recyclability rating of "Grade A" from Recyclass for a barrier tube. The tubes can be easily and efficiently recycled, further reducing its environmental impact and making it an ideal choice for companies wanting to reduce their carbon footprint and promote sustainability.






Applications

- Skin Care
- Skin Health
- Sun Protection
- Hair care
- Dentifrice

Polyfoil® EcoPro - contain up to 60% PCR material

PF **MMB** 542/642 Barrier: MDO-PE-EVOH





Specifications

MATERIAL

Body

Polyfoil®EcoPro with rHDPE

content in the overextrusion

Shoulder HDPE Virgin or rHDPE and

virgin HDPE, PE Snap-on and

screw

Head, Closure rHDPE, HDPE or PP Flip-top

caps, rHDPE or HDPE screw

caps

DIMENSIONS

Diameter 30/35/40/50 mm

Wall thickness 0.35 mm

Content 25 - 275 ml

DECORATION

Digital print

Offset print

CERTIFICATIONS

Recycling Recyclass Grade A

Suez Grade A

Quality EU Food-Grade approval

SUSTAINABILITY

Designed for recycling

Up to 60% of post-consumer recycled (PCR) materials

Low migration colors and lacquers (EUPiA conform)

Optimized CO2 footprint of 40% compared to standard

COEX tubes

QUALITY

Suitable for all cosmetic products

Suitable for food contact

Want to learn more about recyclable Polyfoil®EcoPro?



Certifications



